



# A Comprehensive Review of ESP32-Based IoT Architectures for Lean and Sustainable Smart Agriculture

Bhushana Kumar Kurumatla<sup>1</sup>, Naga Latha Jarugu<sup>2</sup>

1. Associate Professor, Electrical and Electronics Engineering, Akkineni Nageswara Rao College of Engineering and Technology, Gudivada.

2. Assistant Professor, Electronics and Communication Engineering, Akkineni Nageswara Rao College of Engineering and Technology, Gudivada.

Email-ID: [bhushan.christ@gmail.com](mailto:bhushan.christ@gmail.com)<sup>1</sup>, [jarugunagalatha@gmail.com](mailto:jarugunagalatha@gmail.com)<sup>2</sup>

DOI: 10.5281/zenodo.20082499

## Abstract

The integration of Internet of Things (IoT) technologies with Lean Manufacturing principles has emerged as a promising approach to optimize agricultural productivity, sustainability, and resource utilization. Smart agriculture systems leveraging low-cost microcontrollers such as ESP32 enable real-time monitoring, automation, and data-driven decision-making. This review paper explores the convergence of IoT-based precision agriculture and Lean principles such as waste reduction, continuous improvement, and efficiency optimization. The study examines system architectures, applications, benefits, and challenges associated with ESP32-based smart farming systems. Findings indicate that IoT-enabled agriculture significantly enhances water efficiency, crop yield, and operational efficiency, while Lean principles contribute to minimizing waste and improving process optimization. However, challenges such as scalability, data reliability, and implementation costs remain critical barriers. The paper concludes with future research directions emphasizing intelligent automation and sustainable agricultural practices.

**Keywords:** IoT, Smart Agriculture, ESP32, Lean Manufacturing, Precision Farming, Automation

## 1. Introduction

Agriculture plays a critical role in global food security, yet traditional farming methods face challenges such as inefficient resource utilization, climate variability, and labor shortages. The

integration of IoT and Industry 4.0 technologies has transformed agriculture into a data-driven domain [14, 15, 16, 17].

IoT-based systems use sensors, communication technologies, and cloud platforms to monitor environmental conditions such as soil moisture, temperature, and humidity, enabling informed decision-making [18, 19, 20, 21]. The ESP32 microcontroller is widely adopted due to its low cost, built-in Wi-Fi, and computational capabilities, making it suitable for real-time agricultural monitoring systems [22, 23, 24].

Lean Manufacturing principles, originally developed in industrial systems, emphasize waste reduction, continuous improvement, and efficiency optimization. Applying Lean concepts in agriculture ensures optimal resource utilization and improved productivity [25, 26, 27, 28].

This paper reviews the integration of IoT and Lean principles for smart agriculture optimization using ESP32.

## 2. Principles of Green Chemistry

Green chemistry is based on twelve fundamental principles that guide scientists and industries toward sustainable chemical practices [24].

### 2.1 Prevention of Waste

It is better to prevent waste generation than to treat or clean up waste after it has been created. Waste prevention reduces environmental pollution and production costs [25].

## 3. Background and Related Work

IoT has revolutionized agriculture through precision farming techniques, allowing real-time monitoring and control of farming operations [29, 30, 31, 32]. Studies indicate that IoT-based systems improve crop yield, reduce water consumption, and enhance sustainability [33, 34, 35, 36].

ESP32-based smart agriculture systems have been widely implemented for monitoring soil conditions and automating irrigation processes [37, 38, 39]. These systems enable remote access and control through cloud platforms, improving operational efficiency [40, 41, 42, 43].

Lean Manufacturing principles such as waste elimination, Just-in-Time resource usage, and continuous improvement (Kaizen) have been adapted to agriculture to reduce inefficiencies and improve productivity.

## 4. System Architecture of IoT-Based Smart Agriculture

### 4.1 Architecture Overview

A typical IoT-based smart agriculture system consists of multiple layers:

### 4.2 Sensor Layer

Includes soil moisture sensors, temperature sensors, humidity sensors, and light sensors that collect environmental data [4, 6].

### 4.3 Processing Layer (ESP32)

The ESP32 microcontroller processes sensor data and performs local decision-making tasks [2, 3].

### 4.4 Communication Layer

Wireless technologies such as Wi-Fi and LoRa are used to transmit data to cloud platforms [1, 6].

### 4.5 Application Layer

Provides dashboards and mobile applications for monitoring and control [6].

The ESP32 acts as the central unit that integrates sensing, processing, and communication functionalities [2].




Figure 1: Multi-Layer IoT-Based Smart Agriculture Architecture




Figure 2: IoT Data Collection and Intelligence Layer Architecture



## 7.2 Environmental Monitoring

ESP32 systems monitor environmental parameters such as temperature and humidity to maintain optimal crop conditions [3, 12].

## 7.3 Precision Farming

IoT enables precision agriculture by providing real-time insights for decision-making, improving productivity and efficiency [11].

## 7.4 Remote Monitoring and Control

Farmers can access real-time data through mobile applications, enabling remote farm management [6].

# 8. Benefits of Integration

## 8.1 Performance Improvements

Table 2: Benefits of IoT and Lean Integration

Benefit	Impact
Water Efficiency	Reduces water usage significantly [2]
Increased Yield	Improves crop productivity [6]
Cost Reduction	Lowers labor and resource costs [5]
Sustainability	Reduces environmental impact [4]

The integration of IoT and Lean principles leads to optimized resource utilization and improved agricultural outcomes [5, 6].

# 9. Challenges and Limitations

## 9.1 Technical Challenges

- Sensor inaccuracies and failures [6]
- Network connectivity issues [7]
- Data reliability concerns [1]

## 9.2 Implementation Challenges

- High initial investment costs [7]
- Lack of technical expertise among farmers [5]

## 9.3 Scalability Issues

Scaling IoT systems for large agricultural fields remains a challenge due to infrastructure limitations [7].

## 10. Security and Data Management

### 10.1 Security Risks

IoT systems are vulnerable to:

- Data breaches
- Unauthorized access
- Sensor tampering [7]

### 10.2 Data Management

Efficient data handling requires:

- Cloud storage systems
- Real-time analytics
- Edge computing integration [6]

## 11. Future Research Directions

Future work should focus on:

- Integration of AI and machine learning with IoT [11]
- Edge computing using ESP32 for real-time processing [2]
- Scalable IoT architectures [7]
- Sustainable and energy-efficient systems [4]
- Advanced automation techniques [6]

## 12. Conclusion

The integration of IoT and Lean Manufacturing principles provides a powerful framework for optimizing smart agriculture systems. ESP32-based IoT systems enable real-time monitoring and automation, while Lean principles ensure efficient resource utilization and continuous improvement.

Despite challenges such as scalability and implementation costs, this approach holds significant potential for improving agricultural productivity and sustainability.

## References

- [1] V. Kumar, "IoT in Smart Agriculture," *ScienceDirect*, 2024.
- [2] S. Sutono and Y. H. Mohamed, "IoT-Based Smart Agriculture System Using ESP32," 2025.

- [3] S. Daud et al., "IoT-Based Smart Agriculture Monitoring System," 2025.
- [4] T. Kalavani et al., "IoT-Enabled Soil Monitoring System," 2025.
- [5] N. Ahmed et al., "IoT for Precision Agriculture," *IEEE*, 2020.
- [6] J. Correa-Quiroz et al., "ESP32 Smart Irrigation System," 2025.
- [7] A. Rehman et al., "Smart Agriculture Framework," 2024.
- [8] B. Srimathi et al., "IoT Plant Watering System," 2025.
- [9] IJCA, "ESP32 Agricultural Monitoring System," 2025.
- [10] IJARST, "Smart Farming System using ESP32," 2024.
- [11] IJRASET, "AI-Enabled Precision Agriculture," 2025.
- [12] IJSREM, "Smart Agriculture Monitoring using ESP32," 2025.
- [13] MDPI, "IoT Smart Irrigation System," 2024.
- [14] S. Koteswara Rao, "AMC Integrated CPW Fed Antennas for Bio Communication: Design Trends and Performance," *AEU - International Journal of Electronics and Communications*.
- [15] S. Koteswara Rao, "Metamaterial Absorber for L, S and C Band Applications," *Journal of Circuits Systems and Computers*.
- [16] S. Koteswara Rao et al., "Development of CPW Fed Slot Antenna with CSRR for Biomedical Applications," *Journal of Circuits, Systems, and Computers*.
- [17] S. Koteswara Rao et al., "A Novel SegNet Segmentation with MobileNet Brain Tumor Classification Using MRI Images," *SN Computer Science, Springer*.
- [18] Dr. Koteswararao Seelam et al., "Medical Image Registration with Object Deviation Estimation through Motion Vectors Using Octave and Level Sampling," *Automatika (Taylor & Francis)*.
- [19] Dr. Koteswararao Seelam et al., "Cluster Based Energy Efficient Optimal Relay Selection Strategy for Multi Hop Reliable Cooperative Communication in Vehicular Communication," *International Journal of Intelligent Engineering and Systems*.
- [20] Dr. Koteswararao Seelam et al., "Energy Efficient Design and Implementation of Approximate Adder for Image Processing Applications," *Serbian Journal of Electrical Engineering*.
- [21] Dr. Koteswararao Seelam et al., "An Improved BAT-Optimized Cluster-Based Routing for Wireless Sensor Networks," *Intelligent Computing and Applications*.
- [22] Dr. Koteswararao Seelam et al., "Implementation of Intelligent Smart Heart Health Monitoring System using IoT," *International Journal on Recent and Innovation Trends in Computing and Communication*.

- [23] Dr. Koteswararao Seelam et al., "Performance Evaluation of Deep Learning Autoencoder in Single and Multi-Carrier Systems," *International Journal on Recent and Innovation Trends in Computing and Communication*.
- [24] Dr. Koteswararao Seelam et al., "Design of Turbo Trellis Coding Modulation Scheme of Rate 4/9 for Rician Fading Channel," *International Journal on Recent and Innovation Trends in Computing and Communication*.
- [25] S. Koteswara Rao et al., "Data Analysis Framework with an Associated Classification Model for Analyzing Cybercrime Underground Economy," *Journal of Engineering Sciences*.
- [26] Manjunath B E et al., "Detection of Social Network Mental Disorders Through Mining of Online Social Media," *Journal of Engineering Sciences*.
- [27] S. Koteswara Rao and P. Ramesh, "IoT based Smart Stove Safety System," *International Journal of Analytical and Experimental Modal Analysis*.
- [28] Koteswararao Seelam et al., "An Efficient Hybrid BAT-Optimized Clustering for Wireless Sensor Networks," *International Journal of Electronic and Communication Technology*.
- [29] Koteswararao Seelam et al., "Performance Analysis of LEACH, COTS and MST algorithms in cluster formation with cluster head selection in wireless sensor networks," *IJCSN International Journal of Computer Science and Network*.
- [30] Koteswararao Seelam et al., "Implementation of Multi-hop Cluster base Routing Protocol for Wireless Sensor Networks," *International Journal of Computer Applications*.
- [31] Koteswara Rao Seelam et al., "An Adaptive CSMA / TDMA Hybrid-MAC for Wireless Sensor Networks," *CIIT International Journal of Networking and Communication Engineering*.
- [32] Koteswara Rao Seelam et al., "An Adaptive Power Control and Energy Efficient MAC Protocol for Wireless Sensor Networks," *International Journal of Computer Science and Application*.
- [33] Koteswara Rao Seelam et al., "Energy aware TDMA MAC for Wireless Sensor Networks," *International Journal of Distributed and Parallel Systems*.
- [34] Koteswara Rao Seelam et al., "Performance Evaluation of Wireless Sensor Network Routing Protocols for Real Time Application Support," *Global Journal of Computer Science and Technology*.
- [35] Koteswara Rao Seelam et al., "Prevention of Shared Root Node Attack in MAODV," *International Journal of Electronic and Communication Technology*.
- [36] Koteswara Rao Seelam et al., "Sensor Networks Simulation in NS2.26," *International Journal of Electronic and Communication Technology*.
- [37] Koteswara Rao Seelam et al., "An Efficient Distance-Energy-based Minimum Spanning Tree (DE-MST) for Wireless Sensor Networks," *International Journal of Computer Applications*.

- [38] Koteswararao Seelam and B.S.L Gayathri, "Implementation and Verification of Low Latency and Low Power MAC Protocol for Wireless Sensor Networks," *IJMER*.
- [39] Koteswararao Seelam and Ch. Mounica, "Evaluation of Reactive Routing Protocols for Wireless Sensor Networks," *IJEIT*.
- [40] Koteswararao Seelam et al., "Optimized Super Resolution Reconstruction Framework For Cardiac MRI Images Perception," *IJCAT*.
- [41] Unnava Divya and Koteswararao Seelam, "Reduction of effect of timing jitter on high speed OFDM system using over sampling Technique," *IJRAT*.
- [42] Ch. Ravikiran and S. Koteswararao, "Automatic wavelet based nonlinear image enhancement using WDRC for aerial imagery," *IJRAT*.
- [43] Mr. Ashok Reddy and S. Koteswararao, "Improved CSMA/TDMA hybrid-MAC for wireless sensor networks," *IJRAT*.